



LIGHTSHEER

This is how confidence feels



LightSheer® QUATTRO™

Feel the confidence that comes
with Lumenis Laser Hair Removal

We don't just build technology,
we build confidence.

What we do changes the way people feel about themselves.
We don't just remove unwanted hair, we remove doubts and worries
and the barrier between people and what they can be.
We create, design and manufacture confidence.

This is how **confidence** feels



Satisfying patients, growing business.

Laser hair removal is one of the most sought after non-invasive aesthetic treatments for women and men alike. More and more people from different ethnic backgrounds seek permanent hair removal, they are looking for a treatment that is effective, fast and comfortable.

Laser hair removal draws patients to your clinic and serves as an excellent stepping-stone for them into the world of Aesthetic Dermatology.

With LightSheer QUATTRO you can customize patient treatments according to each individual's hair type, skin type (including tanned and dark skin) and lifestyle - and therefore access a larger demographic.



Any skin type with
805nm & 1060nm
wavelengths



Upgradeable and
scalable



Portable with a
compact footprint



Treatment versatility
pigmented & vascular
lesions



You can be **confident** in our **technology**.

Treat **ALL SKIN TYPE**
with either **805nm** or
1060nm wavelengths

Great clinical results begin with the LightSheer QUATTRO diode laser empowered by two advanced technologies: High Speed vacuum assisted technology and ChillTip™ integrated contact cooling technology

High Speed Vacuum Assisted Technology | ChillTip Integrated Contact cooling Technology



Efficacy²

Laser energy delivered more efficiently.



Safety²

Lower fluence is required per pulse.



Decreased pain¹


Unique mechanism reduces pain during treatment.



Treatment time^{1,2}

Rapid coverage rate without gel or anesthesia.

How it works



High Speed handpiece

22x35mm

Offers a unique pain reduction mechanism and works without gel. Ideal for treating larger body areas, quickly and comfortably.



Efficacy^{2,3}

Compression of the skin reduces competing chromophores.



Safety³

Epidermal protection through continuous sapphire contact cooling.



Patient comfort³

Continuously cooling significantly increases comfort.

How it works



XC

12x12mm

Providing a solution for large and small areas requiring higher fluence levels.



ET

9x9mm

Designed to treat small areas that require maximum precision.

¹ Ibrahim OA, Kilmer SL. Long-term clinical evaluation of an 800-nm long-pulsed diode laser with a large spot size and vacuum-assisted suction for hair removal. *Dermatol Surg.* 2012

² Xia Y, Moore R, Cho S, Ross EV. Evaluation of the vacuum-assisted handpiece compared with the sapphire cooled handpiece of the 800-nm diode laser system for the use of hair removal and reduction. *J Cosmet Laser Ther.* 2010; 12: 264-268.

³ Campos, V. B., Dierckx, C. C., Farinelli, W. A., Lin, T. Y. D., Manuskiatti, W., & Anderson, R. R. (2000). Hair removal with an 800-nm pulsed diode laser. *Journal of the American Academy of Dermatology*, 43(3), 442-447.

We're confident in our results, so you can be too.

The LightSheer technology by Lumenis has been validated in numerous clinical studies and peer-reviewed articles, and our customers the world over have continuously reported high levels of patient satisfaction and repeatable results.

Laser hair removal, 805nm wavelength



Pigmented lesions, 805nm wavelength



Wrinkle reduction, 1060nm wavelength



Laser hair removal, 1060nm wavelength



Photo courtesy of: 1. Mitchel Goldman, 2, 3. Lumenis Ltd. M.D. 4. Sushil Tahiliani, M.D.

“What sets LightSheer® apart is the confidence it gives providers in treating patients comfortably and with a high degree of efficacy. It's an overall win-win for both the provider and the patient.”

Daniel P Friedmann, M.D

Warnings and Risks:

Treatment should not be attempted on patients with the following conditions in the treatment area: any active infections, inflammatory skin conditions, Dysplastic nevi, tattoos, active cold sores, open lacerations or abrasions, viral, fungal, or bacterial diseases or a history of post inflammatory hyperpigmentation The most common immediate responses of laser treatment for hair removal, ightening/darkening of pigment, vascular lesions, and wrinkles pigmented lesions are erythema, edema, perifollicular edema and perivascular edema, vascular bleaching, hyperpigmentation and hypopigmentation or textural changes of the treated areas.

The complete list of contraindications and risks can be found in the LightSheer QUATTRO user manual.

Your journey with Lumenis has just begun.

We want your business to grow with LightSheer QUATTRO. We provide a support package which ensures that you have all the training you need and receive the most up to date clinical materials. Our direct to consumer marketing activities support the brand, keeping LightSheer the treatment of choice when it comes to laser hair removal.



Specifications

| LightSheer QUATTRO | HS 22 X 35 mm | XC 12 X 12 mm | ET 9 X 9 mm |
|--------------------|--|--------------------------------|--------------------------------|
| Laser Type | AlGaAs Diode Arrays | AlGaAs Diode Arrays | AlGaAs Diode Arrays |
| Wavelength | 805 nm 1060 nm | 805 nm 1060 nm | 805 nm 1060 nm |
| Repetition Rate | Up to 3 Hz | Up to 3 Hz | Up to 3 Hz |
| Pulse repetition | 1-3 pulses | 1 Pulse | 1 Pulse |
| Fluence | 805 nm: 4.5-12 J/cm ² 1060 nm: 4.5-14 J/cm ² | 10-40 J/cm ² | 10-100 J/cm ² |
| Pulse Width | 30-400 ms | 5-400 ms | 5-400 ms |
| Peak Power | 2310 W | 2200 W | 1620 W |
| Preset Parameters | Yes | Yes | Yes |
| Comfort Management | Vacuum assisted (up to 18 inHg) | Chilltip contact cooling (2°C) | Chilltip contact cooling (2°C) |
| On-Site Service | Yes; replaceable handpiece | Yes; replaceable handpiece | Yes; replaceable handpiece |
| Connectivity | Remote connectivity for service and support | | |

| Platform Specifications | |
|-------------------------|--|
| Electrical | 100-240 VAC +/- 10%, 10 A 50/60 Hz. Single-phase grounded outlet |
| Weight | The console weight is: 36 kg (79.4 lbs.) |
| Dimensions (WxDxH) | 51 x 60 x 42 cm; (20.1 x 23.6 x 16.55 in) |

Indications for use

Treatment of benign vascular lesions, including angiomas, hemangiomas, telangiectasia, and other benign vascular lesions and leg veins. Hair removal, permanent hair reduction*, and the treatment for Pseudofolliculitis Barbae (PFB). Treatment of benign pigmented lesions. Treatment of wrinkles (for 1060nm handpieces only). Use on all skin types (Fitzpatrick skin type I-VI), including tanned skin.

* Permanent hair reduction is defined as the long-term, stable reduction in the number of hairs re-growing when measured at 6, 9 and 12 months after the completion of a treatment regime.

Trademarks

LightSheer, LightSheer QUATTRO, the LightSheer QUATTRO logo, ChillTip, Pulse Width (OptiPulse), AutoPace, Lumenis and the Lumenis logo are trademarks or registered trademarks of the Lumenis group of companies.

About Lumenis

Lumenis is a global leader in the field of minimally invasive clinical solutions for the surgical, ophthalmology and aesthetic markets, and is a world-renowned expert in developing and selling energy-based technologies, including laser, intense pulsed light (IPL) and radio frequency (RF). For over 50 years, Lumenis' ground-breaking products have redefined medical treatments and have set numerous technological and clinical gold standards.

LASER CLASS 4/IV MODEL LASER
 For LightSheer DESIRE / DESIRE Light, QUATTRO / QUATTRO Light
 For LightSheer Beauty
WAVELENGTH: 1040-1080 nm **WAVELENGTH**: 1040-1080 nm
PULSE ENERGY: 58 J max **PULSE ENERGY**: 58 J max
PULSE DURATION: 5-400 ms **PULSE DURATION**: 5-300 ms
PULSE RATE: 3 Hz max **PULSE RATE**: 3 Hz max
VISIBLE AND INVISIBLE LASER RADIATION
AVOID EYE OR SKIN EXPOSURE TO DIRECT OR SCATTERED RADIATION
CLASS 4 LASER PRODUCT per EN 60825-1:2007/2014
 CLASS B LASER PRODUCT Complies with 21 CFR 1040.10 & 1040.11
 except for deviations authorized by Laser Notice No. 50, Dated June 24, 2007
 LB-2007147L_C

LASER CLASS 4/IV MODEL LASER
 For LightSheer DESIRE / DESIRE Light, QUATTRO / QUATTRO Light
 For LightSheer Beauty
WAVELENGTH: 1040-1080 nm **WAVELENGTH**: 1040-1080 nm
PULSE ENERGY: 61 J max **PULSE ENERGY**: 32 J max
PULSE DURATION: 5-400 ms **PULSE DURATION**: ~300 ms
PULSE RATE: 3 Hz max **PULSE RATE**: 3 Hz max
VISIBLE AND INVISIBLE LASER RADIATION
AVOID EYE OR SKIN EXPOSURE TO DIRECT OR SCATTERED RADIATION
CLASS 4 LASER PRODUCT per EN 60825-1:2007/2014
 CLASS B LASER PRODUCT Complies with 21 CFR 1040.10 & 1040.11
 except for deviations authorized by Laser Notice No. 50, Dated June 24, 2007
 LB-2007146L_C

LASER CLASS 4/IV MODEL LASER
 For LightSheer DESIRE / QUATTRO
 For LightSheer Beauty
WAVELENGTH: 1040-1080 nm **WAVELENGTH**: 1040-1080 nm
PULSE ENERGY: 108 J max **PULSE ENERGY**: 108 J max
PULSE DURATION: 30-400 ms **PULSE DURATION**: 30-300 ms
PULSE RATE: 3 Hz max **PULSE RATE**: 3 Hz max
VISIBLE AND INVISIBLE LASER RADIATION
AVOID EYE OR SKIN EXPOSURE TO DIRECT OR SCATTERED RADIATION
CLASS 4 LASER PRODUCT per EN 60825-1:2007/2014
 CLASS B LASER PRODUCT Complies with 21 CFR 1040.10 & 1040.11
 except for deviations authorized by Laser Notice No. 50, Dated June 24, 2007
 LB-2007140L_C

LASER CLASS 4/IV MODEL LASER
 For LightSheer DESIRE / DESIRE Light, QUATTRO / QUATTRO Light
 For LightSheer Beauty
WAVELENGTH: 790-830 nm **WAVELENGTH**: 790-830 nm
PULSE ENERGY: 61 J max **PULSE ENERGY**: 32 J max
PULSE DURATION: 5-400 ms **PULSE DURATION**: 5-300 ms
PULSE RATE: 3 Hz max **PULSE RATE**: 3 Hz max
VISIBLE AND INVISIBLE LASER RADIATION
AVOID EYE OR SKIN EXPOSURE TO DIRECT OR SCATTERED RADIATION
CLASS 4 LASER PRODUCT per EN 60825-1:2007/2014
 CLASS B LASER PRODUCT Complies with 21 CFR 1040.10 & 1040.11
 except for deviations authorized by Laser Notice No. 50, Dated June 24, 2007
 LB-005897_C

LASER CLASS 4/IV MODEL LASER
 For LightSheer DESIRE / DESIRE Light, QUATTRO / QUATTRO Light
 For LightSheer Beauty
WAVELENGTH: 790-830 nm **WAVELENGTH**: 790-830 nm
PULSE ENERGY: 58 J max **PULSE ENERGY**: 58 J max
PULSE DURATION: 5-400 ms **PULSE DURATION**: 5-300 ms
PULSE RATE: 3 Hz max **PULSE RATE**: 3 Hz max
VISIBLE AND INVISIBLE LASER RADIATION
AVOID EYE OR SKIN EXPOSURE TO DIRECT OR SCATTERED RADIATION
CLASS 4 LASER PRODUCT per EN 60825-1:2007/2014
 CLASS B LASER PRODUCT Complies with 21 CFR 1040.10 & 1040.11
 except for deviations authorized by Laser Notice No. 50, Dated June 24, 2007
 LB-005898_F

LASER CLASS 4/IV MODEL LASER
 For LightSheer DESIRE/QUATTRO
 For LightSheer Beauty
WAVELENGTH: 790-830 nm **WAVELENGTH**: 790-830 nm
PULSE ENERGY: 92 J max **PULSE ENERGY**: 92 J max
PULSE DURATION: 30-400 ms **PULSE DURATION**: 30-300 ms
PULSE RATE: 3 Hz max **PULSE RATE**: 3 Hz max
VISIBLE AND INVISIBLE LASER RADIATION
AVOID EYE OR SKIN EXPOSURE TO DIRECT OR SCATTERED RADIATION
CLASS 4 LASER PRODUCT per EN 60825-1:2007/2014
 CLASS B LASER PRODUCT Complies with 21 CFR 1040.10 & 1040.11
 except for deviations authorized by Laser Notice No. 50, Dated June 24, 2007
 LB-005895_F

Lumenis LTD
 Yokneam Industrial Park
 Hakidma Street 6,
 P.O.B. # 240
 Yokneam 2069204,
 ISRAEL
 T +972 4 959 9000

Lumenis (Germany) GmbH
 Heinrich-Hertz-Str 3 D-63303
 Dreieich-Dreieichenhain
 GERMANY
 T +49 (0) 6103 8335 0

EMEA
 Dreieich Dreieichenhain,
 Germany
 T +49 6103 8335 0
 F +49 6103 8335 300

Roma, Italy
 T +39 06 90 75 230
 F +39 06 90 75 269
Hertfordshire, UK
 T +44 20 8736 4110
 F +44 20 8736 4119

JAPAN
 Tokyo, Japan
 T +81 3 6743 8300
 F +81 3 6743 8301

AMERICAS
 San Jose, CA, USA
 T +1 408 764 3000
 +1 877 586 3647
 F +1 408 764 3999

ASIA PACIFIC
 Beijing, China
 T +86 10 5737 6677
 F +86 10 5737 6767
 Gurgaon, India
 T +91 124 422 07 95
 Kowloon, Hong Kong
 T +852 217 428 00
 F +852 272 251 51

© 2019 Lumenis Ltd., All Rights Reserved.



LUMENIS.COM/LIGHTSHEER-QUATTRO

PB-2012048 Rev B